



AES-5SF0036M0A

SKU: 221517



1/3" Mini Dome, Fix, clear 3,6mm, 960TVL, 12VDC, vandalism protect, flush mount

Main Features

1/3" Fix dome camera with Sony CCD

Integrated lens F2.0/3.6mm

Resolution of 960 horizontal lines

Automatic shutter control

Digital signal processing (DSP)

Automatic white balance (ATW)

White-coloured aluminium die-cast casing

Clear Lexan bubble, 57mm

Easy indoor installation

For in-ceiling flush mounting

Vandal resistant

Specifications

Series	eneo COAXIZE
Camera:	
Camera type	Dome
Sensor size	1/3"
Imager	CCD, Sony Super HAD II Interline Transfer
System	electronic Day&Night
Sensitivity	0,1 Lux, at F1.2,50 IRE
Low Speed Shutter	no
Manual electronic shutter (MES)	1/50 ~ 1/120,000sec.
Automatic electronic shutter (ESC)	1/50 ~ 1/120,000sec.
Wide Dynamic Range (WDR)	no

AES-5SF0036M0A

Continuation of the specifications

Backlight Compensation	BLC
Day&Night switch	Electronic
Day&Night mode	auto
White balance	ATW
Signal-to-noise ratio	50dB
Video:	
Horizontal resolution	960 TVL
Synchronization	internal
Lens:	
Lens Type	fixed focal length
Focal Length	3,6 mm
Digital Zoom	no
MOD (Mininum Object Distance)	0,1 m
Horizontal Angle of View	68°
Active picture elements	976(H) x 582(V) pixels
Video standard	PAL
Functions:	
Motion Detector	no
e-PTZ support	no
Digital Noise Reduction	yes
Interfaces / Inputs/ Outputs:	
Video outputs	composite (CVBS)
External connectors	12VDC input (DC plug),Composite (FBAS),connection cable approx.25cm
Alarm inputs	no
Alarm outputs	no
Serial interfaces	no
General:	
Dimensions (HxWxD)	58,5x88
Weight	200 g
Illumination	no
Color (housing)	white
Color (bubble)	clear
Housing	outdoor
Housing material	aluminium
Heater	no
Power consumption	1.2W
Mounting	flush mount
Protection rating	IP66
Supply voltage	12VDC
Operating temperature	-10°C ~ +50°C
Vandal proof	yes

AES-5SF0036M0A

Continuation of the specifications

Parts supplied:	
Parts supplied	manual,screw set,bag of screws

Optional Accessory

SKU	Name	Description
225085	MAM-5DC1004M0A	Distributor, 1x BNC Input HD-TVI, CVI, AHD, CVBS, 4x BNC Output
225135	MAM-5MM2001M0A	Converter, 4K HD-TVI, HD-CVI, AHD, auf HDMI, Indoor
218653	PS12DC-11	Plug-in Power Supply Unit, 100-240VAC/12VDC (1,0A), regulated, with DC Plug



eneo is a registered trademark of
VIDEOR E. Hartig GmbH
Carl-Zeiss-Straße 8
63322 Rödermark, Deutschland

Phone: +49 6074 - 888 - 300
Fax: +49 6074 - 888 - 100
E-Mail: info@eneo-security.com
Web: www.eneo-security.com

Stay informed and subscribe
to the eneo newsletter

